



हरिहरपुरगढी गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय

झनझने, सिन्धुली
बागमती प्रदेश, नेपाल



प.सं. २०८२/०८३

स.नं. १०५

कृषि सामग्री/औजार उपकरणहरूको दररेट पेश गर्ने सम्बन्धी सूचना

प्रथम पटक प्रकाशित मिति: २०८२/११/१०

हरिहरपुरगढी गाउँ कार्यपालिकाको कार्यालय, झनझने सिन्धुलीको आ.व. २०८२/८३ को वार्षिक स्वीकृत कार्यक्रम अनुसार विभिन्न कृषि प्रवर्द्धन/कृषि विकास कार्यक्रम सञ्चालनार्थ कृषकहरूको माग तथा स्वीकृत बजेटको परिधि भित्र रही विभिन्न कृषि सामग्रीहरू अनुदानमा उपलब्ध गराउने प्रयोजनका लागि मौजुदा सूचीमा सूचीकृत भएका कृषि सामग्री/औजार उपकरणहरू आपूर्ति गर्न इच्छुक न्यूनतम योग्यता पुगेका आधिकारिक उत्पादक/बिक्रेता/फर्महरूले सम्बन्धित सामग्रीहरूको आपूर्ति गर्ने आपूर्तिकर्ताहरूबाट दररेट बजार मूल्यमा फरक नपर्ने गरी लागत अनुमान तयार गर्ने प्रयोजनको लागि सूचना प्रकाशित भएको मितिले ७ औं दिन (२०८२/११/१७ गते) सम्ममा कार्यालय समय भित्र उल्लेखित कागजातहरू सहित दररेट विवरण पेश गर्नुहुन यो सूचना प्रकाशन गरिएको छ। कृषि सामग्रीहरूको स्पेशिफिकेसन र दररेट पेश गर्ने फाराम यस कार्यालय तथा कार्यालयको वेबसाइट <https://hariharpurgadhimun.gov.np> बाट डाउनलोड गरी प्राप्त गर्न सकिने छ।

दररेट पेश गर्ने निकाय: हरिहरपुरगढी गाउँकार्यपालिकाको कार्यालय, झनझने, सिन्धुली

आवश्यक कागजात तथा शर्तहरू:

१. आधिकारिक सहिछाप सहितको निवेदन,
२. आधिकारिक सहिछाप सहितको निर्धारित ढाँचा बमोजिमको पूर्ण रूपमा भरिएको दररेट विवरण,
३. फर्म/संस्था/कम्पनी दर्ता तथा नविकरणको प्रमाण पत्र, मूल्य अभिवृद्धि कर (भ्याट)/प्यान दर्ता प्रमाण पत्रको प्रतिलिपि,
४. आ.व. २०८१/८२ को कर चुक्ता तथा लेखा परिक्षणको प्रमाणित प्रतिलिपि।
५. कम्पनीको हकमा कम्पनी रजिष्टार कार्यालयबाट गरिने कम्पनी अध्यावधिक भएको पत्र,
६. सामग्रीहरूको उत्पादक कम्पनीहरूको आधिकारिक बिक्रेता वा Authorized agent/डिलरसिप रहेको प्रमाण पत्र,
७. आपूर्तिकर्ताले आपूर्ति गर्ने खोजेको कृषि यन्त्र/औजार/उपकरणहरूको मोडल र ब्रान्डहरूको आधिकारिक टेष्ट रिपोर्टको प्रमाणित प्रतिलिपि,
८. आपूर्ति गर्न सकिने कृषि यन्त्र/औजार/उपकरणहरूको स्पेशिफिकेसन, ब्रान्ड, मोडल, उत्पादक कम्पनी र देश खुल्ने क्याटलग, लिफलेट वा ब्रोसर अनिवार्य रूपमा पेश गर्नुपर्ने छ।

सन्तोष सुवेदी
प्रमुख प्रशासकीय अधिकृत

Email: hariharpurgadhi@gmail.com

For More Info :



स्थानीय सरकार
हरिहरपुरगढी गाउँ कार्यपालिकाको कार्यालय
झनझने, सिन्धुली



कृषि यन्त्र, औजार, उपकरण आपूर्ति सम्बन्धमा

प्रस्ताव दरभाउ फारम

आर्थिक वर्ष : २०८२/८३

१. संस्थाको नाम :

२. संस्थाको ठेगाना :

सम्पर्क व्यक्तिको मोबाईल नं. :

ईमेल:

३. आधिकारिक व्यक्तिको नाम:

पद:

ईमेल:

४. संस्था रजिस्ट्रेसन नं.:

५. रजिस्ट्रेसन गर्ने कार्यालय:

६. फर्म दर्ता मिति:

७. PAN/VAT रजिस्ट्रेसन नं. :

८. व्यापारको किसिम/उद्देश्य :

नोट:

१. उपलब्ध गराउन सक्ने सामग्रीको दरभाउ र अन्य विवरण प्रष्ट खुल्नु पर्नेछ।

२. आपूर्तिकर्ताले Supplier's Specification मा मेसिनरी औजारको विवरण अनिवार्य रूपमा भर्नु पर्ने छ।

Combine mill			
Make and model	any		
General	Application in both milling of cereals such as rice, wheat, millet and paddy, Gross wt not less than 70 kg.		
Power Source	not less than 2KW		
Motor	100% copper		
voltage and frequency of motor	220volt, 50Hz		
Seive Diameter	aperture : 1.2		
Capacity	Rice mill: at least 80 kg/hr		
Roller Speed	Grain grinder: at least 130kg/hr		
Roller Diameter: rice mill	Rice mill-at least 1500rev/min		
Types	40mm		
Body Material	Disc/Hammer types		
Accessories	Mild Steel with enamel coated		
Warranty	Electric wire along with Suitable MCB and switch		
	1 year of warranty		
Corn sheller (single)			
Make and model	any		
Power	at least 0.4 kw		
Motor	copper Coil 100%		
Electrical requirement	220 v, single phase		
Weight	20-30 kg		
Capacity	> 140 Kg/hr		
Roller /Tubes	Single		
Threshing rate	at least 95%		
Suitable for	Maize		
Warranty	1 year of Warranty from Manufacturers / Suppliers		

Er. Baldeep Singh
 MEC No. 228 (Application) 'B'
 Registered for Electrical Engineering
 MEC No. 228 'A' Applicant



Corn sheller (double)			
Make and model	any		
Power	at least 0.75 kw		
Motor	copper Coil 100%		
Rotor Diameter	around 590mm		
Tube	double		
Electrical requirement	220 v, single phase		
Weight	>30 kg		
Capacity	> 200 Kg/hr		
Roller /Tubes	at least Double		
Threshing rate	at least 95%		
Suitable for	Maize		
Warranty	1 year of Warranty from Manufacturers / Suppliers		
Multi Crop Thresher (Self Propelled)			
make, model, brand	make: 2025 or latest		
Power	> 4 Kw		
Weight	>40 kg		
Fuel type	gasoline (petrol)		
Capacity	> 500 Kg/hr		
Threshing rate	95%		
Suitable for	rice, wheat		
Warranty	1 year of Warranty from Manufacturers / Suppliers		

Er. Balgeopal Sigdel,
 IEC, No. 728, Nepalgunj-31

 Registered Professional Engineer
 IEC No. 728, Nepalgunj-31


 प्रजासत्ताक गणतन्त्र नेपाल
 शान्तिचौमाली कार्यालय
 काठमाडौं, सिन्धुली
 २०७३

Digital weighing balance 100 kg		Digital Weighing Balance, suitable for weighing agricultural products , giving smooth economic performance.		
7	General	Stainless Steel (non-corrosive)		
	Material	Bright LED Digital Display		
	Output	100 kg		
	Weighing Capacity	All signs and instruction in an Digital balance shall be in English/Nepali		
	Instructions	Battery backup, auto zero tracking		
	Others	1 year of Warranty from Manufacturers / Suppliers		
8	Warranty			
	Job planter			
	General	Its main application is for planting seeds, and in the case of a double-barrel type, applying fertilizer simultaneously		
	Model	Any		
	Type	Double		
	Operation	Manually		
	Model	Seed and fertilizer		
	Seeding no.	1-3 seeds adjustable		
Gross wt.	approx 2.5 kg			
Application	Maize, bean etc.			
Warranty	1 year of Warranty from Manufacturers / Suppliers			

Er. Rajgopal Sigdel
 MEC No: 228 Agriculture 'R'
 Prepared By: Er. Rajgopal Sigdel
 MEC No: 226 'R' Agriculture



9	Power sprayer	any		
	Make,model, brand	any		
	Rated power	at least 4.84±0.2 KW		
	vertical range	at least 13m		
	engine type	4 stroke-petrol		
	suction volume	at least 20 ltr/min		
Delivery pipe	at least 2*100 meter			
10	Electric Chaff Cutter (Indian Type)			
	Make,model, brand	any		
	General	self standing type		
	Operation	Electric and manual both		
	Blade material	High carbon steel		
	Transmission	Belv/chain		
	Weight	at least 90 kg		
	Rolla	3 Rolla		
	Number of blade	at least 2 blade		
	Blade	Should be covered		
	Rated power	at least 1440 RMP, at least 2HP motor		
Feed material	Fodder, graas, straw, bamboo			
Cutting capacity	at least 250kg/hr			
Warranty	1 year of Warranty from Manufactures/Suppliers			

Prepared By: Er. Balgopal Sigdel
NEC No.: 228 Agriculture 'A'


Prepared By: Er. Balgopal Sigdel
NEC No.: 228 Agriculture

Er. Balgopal Sigdel
NEC No.: 228 Agriculture 'A'


सरकारको कार्यालय
असोज, सिन्धुली
राजधानी २२८ नेपाल
२०७३

Fully Covered Chaff Cutter			
Make,model, brand	any		
General	self standing type		
Operation	Electric		
Blade Cover	Chaff Cutter Blade Should be fully covered		
Blade Material	High Carbon Steel		
Other Body Material	Mild Steel		
Transmission	Belt/Chain		
Weight	40-55 kg		
Power	Electric Motor 2.2kw		
Rolla	at least 2 Rolla		
Number of Blade	At least 2		
Rated Power	2800 RPM		
Machine Feed	Grass , straw ,bamboo		
Cutting Capacity	at least 250 Kg/hr		
Warranty	1 year of Warranty from Manufacturers/Suppliers		
Feed Mixture Machine			
Make,model, brand	any		
Type	Cattle feed palleting machine		
Motor capacity	4 HP		
Material	Mild Steel		
Weight	60-80 kg		
System	Semi Automatic		
Warranty	1 year of Warranty from Manufacturers/Suppliers		
11			
12			

Er. Baboo Lal Sidel
 MTC No. 2288 Agriculture, N.
 Approved By: Er. Baboo Lal Sidel
 MTC No. 2288 Agriculture



Electric Milking Machine			
Make,model, brand	any		
Power	0.75kw		
Electric requirements	220v 50 Hz		
Revolution	1425 RPM		
Chassis	Galvanized		
Vacuum pump	180l/min		
Lubrication	Dry or oiled		
Certification	ISO/CE		
Warranty	2 years after sales, 5 years for service		
Coffe Peeling Machine			
Make,model, brand	any		
Capacity	150-200 Kg/hr		
Weight	Approx 50 kg		
Power requirement	220v - 240v		
Capacity	1 Hp		
Coffe Huller/Sheller (disk type)			
Make,model, brand	any		
Capacity	100-130kg/hr		
Weight	28kg		
Power requirement	220v - 240v		
Capacity	1.8kw		
Capacity	100-130kg/hr		
Weight	28kg		
Coffe Roaster Machine			
Make,model, brand	any		
Batch Capacity	0.5kg-1.5 per drum		
Roasting time	10-15 min		
Power	Aprox 5kw		
Electrical requirement	220v 50/60Hz		
Drum	Stainless steel		
Cooling time	1-2 min		

Er. Balgopal Sigdel
 Reg. No. 728 Agriculture R.

Prepared By: Er. Balgopal Sigdel
 Reg. No. 728 Agriculture R.



Diesel Mini Tiller 5.5 HP Category	
Make & model of machine	ISO certified, Mini tiller model, Engine Model no.
Engine	4 stroke, single cylinder, forced air cooled, Diesel engine, Power : not less than 5.5 hp
Transmission system	friction multi plate clutch; no. of gear speed: 2 forward & 1 reverse and neutral
Model of transmission	driven by gear system
Number of rotor blades	Minimum 24 blades
Transportation wheel	Pneumatic tyre
Starting method	Manual / Recoil starting system
Weight (Kg)	Gross weight not less than 80 kg
Width of cut(cm)	75 or above
Depth of cut(cm)	10 or above
Fuel tank capacity (litre)	minimum 2.5 litres
Warranty	1 year of Warranty from Manufacturers / Suppliers

17

Er. Rajgopal Sigdel
MTC No: 228 Agriculture 'A'

Prepared By: Er. Rajgopal Sigdel
MTC No: 228 'A' Agriculture

सिन्धुली गाउँपालिका
कार्यपालिकाको कार्यालय
सुनसरी, सिन्धुली
सुनसरी प्रदेश नेपाल
२०७३

Diesel Mini Tiller 7 HP Category	
Make & model of machine	ISO certified, Mini tiller model, Engine Model no.
Engine	4 stroke, single cylinder, forced air cooled, Diesel engine, Power : not less than 7 hp
Transmission system	friction multi plate clutch; no. of gear speed: 2 forward & 1 reverse and neutral
Model of transmission	driven by gear system
Number of rotor blades	Minimum 32 blades
Transportation wheel	Pneumatic tyre
Starting method	Manual / Recoil / Self starting system
Weight (Kg)	Gross weight not less than 120 kg
Width of cut(cm)	100 or above
Depth of cut(cm)	10 or above
Fuel tank capacity (litre)	minimum 3.5 litres
Warranty	1 year of Warranty from Manufacturers / Suppliers

18

Er. Badgopal Subedi
 NIC No.: 7288
 Registered By: Er. Badgopal Subedi
 NIC No.: 225 A
 २०७१



Diesel Mini Tiller 9 HP Category	
Make & model of machine	ISO certified, Mini tiller model, Engine Model no.
Engine	4 stroke, single cylinder, forced air cooled, Diesel engine, Power : not less than 9 hp
Transmission system	friction multi plate clutch; no. of gear speed: 2 forward & 1 reverse and neutral
Model of transmission	driven by gear system
Number of rotor blades	Minimum 32 blades
Transportation wheel	Pneumatic tyre
Starting method	Manual / Recoil / Self starting system
Weight (Kg)	Gross weight not less than 135 kg
Width of cut(cm)	100 or above
Depth of cut(cm)	10 or above
Fuel tank capacity (litre)	minimum 5 litres
Warranty	1 year of Warranty from Manufacturers / Suppliers

19

Er. Balgopal Sigdel
 MEC No. 728 Agriculture
 Prepared by: Er. Balgopal Sigdel
 MEC No. 728 Agriculture



Bed Maker minitiller			
Brand/model	Make: 2025 or latest model ; Brand ; Model : any		
General	General purpose minitiller for dry and wet tillage and making bed, rear tilling and front traveling with standard design having gross vehicle weight not less than 125kg		
Bed making mechanism	ditching and furrow blades		
Engine	Single cylinder, Four stroke, Forced air cooled system, Oil bath type filler, Diesel Engine, Maximum power not less than 4KW at rated speed.		
Starting type	Recoil/ Electrical starter		
Transmission system	Gear drive(1- Reverse, 2- Forward(both high and low) number of gears.		
Displacement(ml(cu.in))	not less than 296CC		
Tilling Depth	100mm or above		
Tilling width	750mm or above		
Fuel tank capacity	minimum 3.5 litres		
Blades	minimum 32 pieces		
Tyre	Standard size(4-8)		
Frame	MS material		
Colour	Standard		
Warranty	1 year of Warranty from Manufacturers / Suppliers		

20

Er. Balgopal Sigdel
NEC No. 728 Agriculture 'X'

Prepared By : Er. Balgopal Sigdel
NEC No. 728 'X' Agriculture



Petrol Mini Tiller 7 HP Category			
Make & model of machine	ISO certified, Mini tiller model, Engine Model no.		
Engine	4 stroke, single cylinder, forced air cooled, Diesel engine, Power : not less than 7 hp		
Transmission system	friction multi plate clutch; no. of gear speed: 2 forward & 1 reverse and neutral		
Model of transmission	driven by gear system		
Number of rotor blades	Minimum 24 blades		
Transportation wheel	Pneumatic tyre		
Starting method	Manual / Recoil / Self starting system		
Weight (Kg)	with transportation wheel: minimum 76 kg		
Width of cut(cm)	75 or above		
Depth of cut(cm)	10 or above		
Fuel tank capacity (litre)	minimum 3.5 litres		
Warranty	1 year of Warranty from Manufacturers / Suppliers		

21

Er. Balgopal Sigdel
 NEC No: 228 Agriculture N
 Prepared By: Er. Balgopal Sigdel
 NEC No: 228 Agriculture



Petrol Mini Tiller 9 HP Category	
Make & model of machine	ISO certified, Mini tiller model, Engine Model no.
Engine	4 stroke, single cylinder, forced air cooled, Diesel engine, Power : not less than 9 hp
Transmission system	friction multi plate clutch; no. of gear speed: 2 forward & 1 reverse and neutral
Model of transmission	driven by gear system
Number of rotor blades	Minimum 32 blades
Transportation wheel	Pneumatic tyre
Starting method	Manual / Recoil / Self starting system
Weight (Kg)	with transportation wheel: minimum 100 kg
Width of cut(cm)	100 or above
Depth of cut(cm)	10 or above
Fuel tank capacity (litre)	not less than 5 litres
Warranty	1 year of Warranty from Manufacturers / Suppliers

22

Er. Balgopal Sigdel
NEC No. 228 Agriculture 'X'

Prepared By: Er. Balgopal Sigdel
NEC No. 228 'X' Agriculture



Power Tiller (12 HP Diesel)	
Rated Power	9 Kw
Width	≥ 600mm
Net Weight	≥ 345Kg
Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine
Number of Speed	6 Fwd, 2 Rev
Starting system	Manual recoil/electric system (both)
Fuel Tank Capacity	at least 6 L
Transmission type	Gear transmission
Cooling system	Radiator / Hopper
Min. ground clearance	at least 185mm
Turning speed of crankshaft	2000/2200 RPM
Number of blade	at least 18 blades
Tyre	6.0-12.0
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufacturers / Suppliers

23

Er. Badgepal Stigdel
 MEC No. 228 Manufacturer R

 Prepared by Er. Badgepal Stigdel
 MEC No. 228, N. Nepal



Power Tiller (15 HP Diesel)	
Rated Power	at least 11.03 Kw
Width	≥ 900mm
Net Weight	≥ 360kg
Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine
Number of Speed	6 Fwd, 2 Rev
Starting system	Manual recoil/electric system both
Fuel Tank Capacity	at least 6 L
Transmission type	Gear transmission
Cooling system	Radiator
Min. ground clearance	at least 185mm
Turning speed of crankshaft	2000/2200 RPM
Number of blade	at least 26 blades
Tyre	6.0-12.0
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufacturers / Suppliers

24

Er. Rajdeep Singh
 NIC No: 228 Agriculture X
 Prepared By: Er. Rajdeep Singh
 NIC No: 228 X Agriculture



Power Tiller (18 HP Diesel)	
Rated Power	at least 13.24 Kw
Width	≥ 900mm
Net Weight	≥ 375kg
Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine
Number of Speed	6 Fwd, 2 Rev
Starting system	Manual recoil/electric system both
Fuel Tank Capacity	at least 6 L
Transmission type	Gear transmission
Cooling system	Radiator
Min. ground clearance	at least 185mm
Turning speed of crankshaft	2000/2200 RPM
Number of blade	at least 26 blades
Tyre	6.0-12.0
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufacturers / Suppliers

25

Er. Balgopal Sigdel
NEC No. 228 Agriculture II

Prepared By: Er. Balgopal Sigdel
NEC No. 228 Agriculture



Power Tiller (20 HP Diesel)	
Rated Power	at least 14.92 Kw
Width	≥ 900mm
Net Weight	≥ 390kg
Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine
Number of Speed	6 Fwd, 2 Rev
Starting system	Manual recoil/electric system both
Fuel Tank Capacity	at least 6 L
Transmission type	Gear transmission
Cooling system	Radiator
Bore* Stroke	100*115 mm
Min. ground clearance	at least 185mm
Turning speed of crankshaft	2000/2200 RPM
Number of blade	at least 26 blades
Tyre	6.0-12.0
Accessories	Engine oil, Brake oil fully filled and One Set of Tool Box
Warranty	1 year of Warranty from Manufacturers / Suppliers

26

Er. Balgopal Sigdel
NEC No: 228 Agriculture 'A'

Prepared By: Er. Balgopal Sigdel
NEC No: 228 'A' Agriculture



27	Power Tiller (22 HP Diesel)		
	Rated Power	at least 16.18 Kw	
	Width	≥ 900mm	
	Net Weight	≥ 400kg	
	Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine	
	Number of Speed	6 Fwd, 2 Rev	
	Starting system	Manual recoil/electric system both	
	Fuel Tank Capacity	at least 6 L	
	Transmission type	Gear transmission	
	Cooling system	Radiator	
	Bore* Stroke	100*115 mm	
	Min. ground clearance	at least 185mm	
	Turning speed of crankshaft	2000/2200 RPM	
Number of blade	at least 26 blades		
Tyre	6.0-12.0		
Acessories	Engine oil, Brake oil fully filled and One Set of Tool Box		
Warranty	1 year of Warranty from Manufacturers / Suppliers		
28	Paddy Harvester (Reaper) Self Propelled		
	Power	4kw	
	Cutting width	1200 mm	
	Min Cutting Height	≥ 50mm	
	Net Weight	>200 kg	
	Productivity	0.2-0.3 Ha/Hr	
	Placing Type	Sidewise and banded place	
	Starting system	Recoil or Recoil/Electric	
	Engine	Single Cylinder, air cooled, Diesel Engine	
	Suitable for	Paddy and wheat	
Warranty	1 year of Warranty from Manufacturers/Suppliers		

Er. Balgopal Sigdel
NFC No.: 228 Agriculture 'A'

(Signature)

Prepared By: Er. Balgopal Sigdel
NFC No. 228 'A' Agriculture

